




PRODUCT SELECTOR


CHOSEN FOR CHARACTER

ESTABLISHED 1925






AUTUMN BROWN available in 65mm, 68mm and 73mm




BOURTON MANOR ANTIQUE available in 65mm, 68mm and 73mm







BOURTON MANOR available in 65mm, 68mm and 73mm




BRICKFIELD ANTIQUE available in 65mm, 68mm and 73mm







BRICKFIELD ORANGE available in 65mm, 68mm and 73mm




DRAYCOTT RED available in 65mm, 68mm and 73mm







LYNEHAM RED ANTIQUE available in 65mm, 68mm and 73mm



LYNEHAM RED available in 65mm, 68mm and 73mm







MALBOROUGH MELLOW available in 65mm, 68mm and 73mm



NORFOLK RED available in 65mm, 68mm and 73mm







PACKWOOD ANTIQUE available in 65mm, 68mm and 73mm




PACKWOOD RESTORATION available in 65mm, 68mm and 73mm







PACKWOOD RURAL available in 65mm, 68mm and 73mm



PLUMSTEAD ANTIQUE available in 65mm, 68mm and 73mm











PLUMSTEAD ORANGE available in 65mm, 68mm and 73mm




REGAL MULTI available in 65mm, 68mm and 73mm








SILVER GREY available in 65mm, 68mm and 73mm




SOUTHWOLD available in 65mm, 68mm and 73mm







STRATFORD ANTIQUE available in 65mm, 68mm and 73mm




STRATFORD MELLOW available in 65mm, 68mm and 73mm








SUFFOLK RED available in 65mm, 68mm and 73mm




TUDOR RESTORATION available in 65mm, 68mm and 73mm







WELLACRE ANTIQUE available in 65mm, 68mm and 73mm




WINDSOR RED available in 65mm, 68mm and 73mm








WOODSTOCK WEATHERED available in 65mm, 68mm and 73mm




COTSWOLD RED available in 65mm and 73mm








COTSWOLD BLEND available in 65mm and 73mm



COTSWOLD ORANGE available in 65mm and 73mm








BLENHEIM YELLOW BLEND available in 65mm and 73mm




BURFORD OAST BLEND available in 65mm and 73mm








CAMBRIDGE OLDE ENGLISH available in 65mm and 73mm




CHIEVELEY PARK MIXTURE available in 65mm and 73mm







KENSINGTON ENGLISH MIXTURE available in 65mm and 73mm




KNIGHTSBRIDGE HARVEST GOLD available in 65mm and 73mm








LONDON OLD TOWN available in 65mm and 73mm



SELBORNE ORANGE MULTI available in 65mm and 73mm












CHERWELL AUTUMN BLEND available in 65mm and 73mm








CHERWELL HERITAGE BLEND available in 65mm and 73mm




CHERWELL MIXTURE available in 65mm and 73mm







CHERWELL RED available in 65mm and 73mm



CHERWELL RUSSET available in 65mm and 73mm








CHERWELL TERRACE BLEND available in 65mm and 73mm




CHERWELL URBAN ANTIQUE available in 65mm and 73mm







MALVERN RED available in 65mm and 73mm



RECLAIM MIXTURE available in 65mm and 73mm








WESSEX MIXTURE available in 65mm and 73mm




WESSEX RED available in 65mm and 73mm













AVON SMOOTH available in 65mm and 73mm








BROADWAY BUFF available in 65mm and 73mm




COTSWOLD BROWN available in 65mm and 73mm








DONNINGTON DEEP RED available in 65mm and 73mm




KILN WHITE ANTIQUE available in 65mm and 73mm








LIGHT RED RUSTIC available in 65mm and 73mm




MULTI RED RUSTIC available in 65mm and 73mm






REGENCY ORANGE available in 65mm and 73mm





VICTORIAN GREENWICH BLEND available in 65mm and 73mm







VICTORIAN MELLOW available in 65mm and 73mm

TECHNICAL SPECIFICATION

Brick Type				New Products (higher specification)			
Brick Type	HANDMADE	TRADITIONAL WIRECUT	RECLAIM & CHERWELL				
Brick Codes				СНВ	VGB (Wirecut)	Cotswold Collection	
Appearance	Lightly creased genuine handmade	Extruded wirecut smooth, rustic, plain or sandfaced	Prematurely 'aged' during the production process				
Specification	Bricks are manufactured to BS EN 771-1 (BS 3921:1985 now withdrawn)						
Sizes	Metric: 215mm x 102.5mm x 50mm, 65mm 68mm 73mm 80mm Non Standard: Imperial: 9" x 4 ⁵ / ₁₆ " x 2", 2 ¹ / ₄ ", 2 ³ / ₈ ", 2 ¹ / ₂ ", 2 ⁵ / ₈ ", 2 ⁷ / ₈ ", 3", 3 ¹ / ₈ " Most sizes can be accommodated in our production process					65mm 73mm	
Specials	A full range of standard BS and purpose made Specials is available						
Compressive Strength	>24 N/mm ²	>60 N/mm ²	>60 N/mm²	>60 N/mm²	>60 N/mm²	>60 N/mm ²	
Durability	F2	F2	F2	F2	F2	F2	
Tolerances	TI	T2	TI	TI	ті	TI	
Range	RI	RI	RI	RI	RI	RI	
Soluble Salt Content	S2	S2	S2	S2	S2	S2	
Water Absorption	<17 %	<12 %	<12 %		<12 %		
Packaging	Shrinkwrapped and wire banded with holes for forklift use						
Pack Sizes & Weights	Size Qty/ Wt (mm) pack (t) 50 650 1.229 65 500 1.223 73 500 1.280 80 400 1.213	Size Qty/ Wt (mm) pack (t) 50 650 1.070 65 500 1.072 73 500 1.195 80 400 1.100	Size Qty/ Wt (mm) pack (t) 50 650 0.927 65 435 0.929 73 400 1.009 80 320 320		Size Qty/ Wt (mm) pack (t) 50 650 1.070 65 500 1.072 73 500 1.195 80 400 1.100		
Workmanship	The recommendations of good practice made in the relevant British or European Standards regarding design and workmanship must be fully observed. Always mix from at least 3 packs, working diagonally down the blades, not horizontally across the tops of packs. Bricks & brickwoork should be covered during construction to prevent saturation.						
Performance	All Northcot Ist quality bricks are Frost Resistant. Northcot Bricks are manufactured to F2 rating for Frost Resistance as described in BS EN 771-1:2011 "Specification for Clay masonry units". The specification is for masonry (walling) products which are to be used in brickwork designed and built in accordance with recommendations in BS PD 6697:2010 "Recommendations for the design of masonry structures to BS EN 1996-1-1 and BS EN 1996-2". The use of Sulphate Resisting Cement is recommended. Further details on website						
Samples	Usually within 48-hour dispatch						
Important Advice	Colours and textures reproduced here are as accurate as the printing process allows and final choices should not be made from this brochure in isolation. For the latest updates on technical information, please visit our website on www.northcotbrick.co.uk						

Northcot's staff are committed to providing a flexible, prompt and courteous service. The Sales Office has more than 30 years experience and knows all there is to know about Northcot bricks. We also have experienced representatives available to advise and offer guidance when required. Our 48-hour sample despatch service is available, providing either 3 or 5 brick packs or slip-panels. Sixty brick site panels can be produced for local planning and/or conservation departments on your behalf.

Northcot Brick Ltd Station Road, Blockley, Nr. Moreton-in-Marsh, Gloucestershire GL56 9LH Tel: 01386 700551 Fax: 01386 700852

email: sales@northcotbrick.co.uk website: www.northcotbrick.co.uk



Northcot Brick Ltd Station Road, Blockley, Nr. Moreton-in-Marsh Gloucestershire GL56 9LH

> Tel: 01386 700551 Fax: 01386 700852

email: sales@northcotbrick.co.uk

www.northcotbrick.co.uk